GALLERY® collection 3-LAYER CONSTRUCTION



America's Favorite Garage Doors®



clopay.com

GALLERY[®] collection

The Gallery[®] Collection three-layer construction provides exceptional strength, energy efficiency and dent resistance as well as a beautiful carriage house appearance. The 2" or 1-3/8" thickness of Intellicore[®] polyurethane or polystyrene insulation and thermal break makes these doors heat and cold resistant while the tongue-and-groove joint helps seal out wind, rain and snow. Available in short and long panels with multiple window options, the three-layer Gallery[®] Collection is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

intellicore[®] insulation technology

Warmer. Quieter. Stronger. Gallery[®] Collection doors featuring Intellicore® insulation technology represent the ultimate smart choice for homeowners. Clopay's Intellicore is a proprietary polyurethane foam that is injected into a garage door, expanding to fill the entire structure. The result is a door with incredible strength and durability. Its dense insulation also produces a quieter door, and with one of the industry's leading R-values of 18.4, it provides year-round comfort and improved energy efficiency. Smart, indeed.





Calculated door section R-value is in accordance with DASMA TDS-163.



Model GD1LU, Long Windows with Rectangular Grilles

))

COLORS



- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.

*Popular in select markets, Glacier White is a brighter white.

CUSTOM PAINT OPTION

Color Blast[™] offers more than 1,500 Sherwin-Williams[®] color options to complement your home. Clopay's durable factory finish has been thoroughly tested and is backed by a five-year warranty.

ULTRA-GRAIN® PAINT OPTION

1)



>>

>>

Ultra-Grain[®] Oak Medium Finish



Ultra-Grain[®] Oak Dark Finish



Ultra-Grain® Oak Walnut Finish

- Painted steel surface simulates a real stained door without the need of staining and the ongoing maintenance of wood.
- Oak woodgrain runs horizontal on stiles and vertical on panels for an authentic, natural look.
- Available in Medium, Dark or Walnut finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on an Ultra-Grain[®] painted door has a stucco texture to create a more natural woodgrain appearance.
- Window frames, grilles and inserts are color matched to coordinate with the Ultra-Grain[®] patterns.
 All window options are available.

Not available on Models GD1SU and GD1LU.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

SHORT PANEL W	INDOW DESIGNS AND I			10'6"-12'0"
MODELS	HEIGHTS 7'0"-8'0"	Illustrations simplified for clari	ıy.	9'0"-10'0"
GD1SP, GD1SU,				
GD2SP AND GD2SU	WIDTHS 6'2"-7'6" 7'8"-10'0" 11'6"-14'6"	14'10"-19'0"	19'2"-20	'0" 7'8"-10'0" 7'8"-10'0"
Long Top Section		ARCH1 Plain		
Plain Short		ARCH1 with		
		Vertical Grilles		
Plain Long		ARCH1 with Grilles		
Short with		ARCH2 Plain		
Rectangular Grilles				
Long with Rectangular Grilles		ARCH2 with Vertical Grilles		
Short with Square Grilles		ARCH2 with Grilles		
		ARCH3 Plain		
Square Grilles				
Ashford® Short†		ARCH3 with Vertical Grilles		
Ashford [®] Long [†]		ARCH3 with Grilles		
Kristin [®] Short [†]		Trenton [®] Short [†]		
Kristin [®] Long†		Trenton [®] Long [†]		
		Clayton [™] Short†		
Wrought Iron Long*		Clayton [™] Long [†]		
Acrvlic		Wrought Iron Arch†	<u>ಹಾಜಾ</u>	6360 6360 6360

*Acrylic †Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow

only for the installation of a single handle. See your Clopay Dealer for details.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

LONG FANLE WIND	OW DESIGNS AND		10'6"-12'0"
MODELS GD1LP, GD1LU, GD2LP AND GD2LU	HEIGHTS 7'0"-8'0" WIDTHS 7'8"-10'0" 11'6"-14'6"	Illustrations simplified for clarity.	9'0"-10'0"
Short Top Section		ARCH1 Plain	
Plain Short		ARCH1 with Vertical Grilles	
Plain Long		ARCH1 with Grilles	
Short with Rectangular Grilles		ARCH2 Plain	
Long with		ARCH2 with	
Rectangular Grilles		Vertical Grilles	
Short with Square Grilles		ARCH2 with Grilles	
Long with Square Grilles		ARCH3 Plain	
Ashford® Short†		ARCH3 with Vertical Grilles	
Ashford® Long†		ARCH3 with Grilles	
Kristin® Short†		Trenton® Short*	
Kristin [®] Long†		Trenton® Long†	
Wrought Iron Short**		Clayton [™] Short [†]	
Wrought Iron Long* [†]		Clayton [™] Long†	
		Wrought Iron Arch*t	

*Acrylic †Complements Clopay Entry Door glass.

Note: Due to stile width restrictions, some odd size door widths may allow only for the installation of a single handle. See your Clopay Dealer for details.

Windows

GLASS			*Cc	omplements Clopay Entry Door glass.
Plain Short	Plain Long	Short with Square Grilles	Ashford [®] Short*	Ashford [®] Long*
			● ● ●	
ARCH1 Plain	ARCH2 Plain	Short with Rectangular Grilles	Kristin [®] Short*	Kristin [®] Long*
ARCH1 with Grilles	ARCH2 with Grilles	Long with Square Grilles	Trenton [®] Short*	Trenton [®] Long*
ARCH1 with Vertical Grilles	ARCH2 with Vertical Grilles	Long with Rectangular Grilles	Clayton [™] Short*	Clayton [™] Long*
ACRYLIC		62060 62060	Long and short windows may be used in Double strength glass is standard. Optio and 3/4" insulated obscure glass are av	onal obscure, 3/4" insulated

Wrought Iron Short*

Additional Features

ARCH2 with Vertical Grilles	Long with Rectangular G
Wrought Iron Long*	Wrought Iron Arch*

acorativa	Hardware	

models, Wrought Iron and decorative grilles.





Large authentic arch window designs. Ultra-Grain® window frames, grilles and inserts are color coordinated to Medium. Dark and Walnut finishes

Energy-efficient thermal break. Polyurethane model shown.

- 2" or 1-3/8" thick sandwich construction consisting of exterior and interior steel skins filled with Intellicore® polyurethane or polystyrene insulation makes these doors strong, energy efficient and quiet.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Nylon rollers are quiet and durable.
- Corrosion-resistant, aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Warranties


PAINT SYSTEM	WINDOW	HARDWARE
LIMITED	LIMITED	LIMITED
LIFE	10 YR	3 YR
WARRANTY	WARRANTY	WARRANTY



For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).



alive Laluva



A FOCUS ON (



Clopay is committed to designing, manufacturing and distributing garage doors that enhance the beauty, safety and value of your home while minimizing the impact on the environment.

The Gallery[®] Collection three-layer construction helps conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient

door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel

used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing shipping, damage and handling.

For more details on Clopay's green practices visit clopaydoor.com/green.aspx